(*d*) The instructions to be given by the local Range Officers in the matter of felling and dressing of logs should be properly heeded.

(*e*) The minimum quantities to be prepared and carted to the depots by the contractor will be as follows :—

One-fourth of the contracted quantity by the end of November 1940, one half of the contracted quality by the end of January 1941 and the remaining by end of March 1941. But the contractor must be able to prepare or to cart a larger quantity at any time when called upon to do so. Failure on the part of the contractor to prepare or to cart the timber as noted above entails the forfeiture of the whole or such portion of the security as the District Forest Officer deems fit. If the preparation or carting work of the contractor is slack, and if in the opinion of the District Forest Officer the contractor is not likely to discharge his obligations, the District Forest Officer will at once cancel the contract, forfeit the security and make other arrangements for the preparation or carting of timber. Any extra expenditure which the Department has to incur for this purpose will be made good by the contractor.

(*f*) No timber should be removed from the Forest without obtaining a passport from the Forest Range Officer or such other subordinate authorised by him.

(*g*) All timber for which passports have been obtained should be delivered in the Depot, at the latest within one month of the issue of passes. Any timber not reaching the Depot within the above period will be treated as lost, and the value thereof will be recovered at the Depot rates from the contractor from the amount of the next bill due to him.

(*h*) In the matter of consigning different kinds of timber from time to time, the contractor should abide by the instructions of the Range Officer.

(*i*) The Range Officer at the beginning of each period mentioned in clause (*e*) will inform the contractor in writing, the quantity of timber available for carting.

(*j*) The contractor during the currency of his contract shall not take up any other similar contracts.

(*k*) The contractor shall abide by the rules of the Department as regards the kindling of fires and hold himself responsible for any offence committed by him or his agent, employees or cartmen.

(*l*) The security furnished will be returned to the contractor three months after the expiry of the contract period, if the whole or any portion of which is not forfeited to Government by the violation of any of the terms of the contract, as also satisfying that no timber is outstanding against the contractor.

(*m*) Charges of coolies employed for tying and untying chains to elephants employed for dragging timber and also charges for making temporary cart-tracks from the coupes should be met by the contractor.

(*n*) In the case of unsound and hollow logs, preparation and carting charges will be deducted to the extent of hollowness or unsoundness of timber.

(*o*) Petty repairs to existing cart-tracks or making minor new cart-tracks in the coupes have to be attended to by the carting contractor at his expenses.

(*p*) Where elephants are used for dragging timber in coupes coolies required for tying and untying chains must be provided by the carting contractor.

N.B.—(1) The above noted quantities are approximate.

(2) Preparation and carting charges will be given once a month on the quantities received in the depot on bills passed for by the Range Officer and supported with the connected Depot Receipts.

(3) Separate bills should be presented for the quantities pertaining to each month and the claim of more than one month should not be included in the same bill.

H. S. RANGACHAR,
District Forest Officer.

ENGINEERING DEPARTMENT

BUREAU OF SANITARY ENGINEERING, BANGALORE.

Abstract Notice, dated 6th July 1940.

The attention of the public is invited to the Notification calling for tenders for the work of "Constructing drains in Channarayapatna Town during the year 1940-41," published in pages 1628-1629, Part VI of the *Mysore Gazette*, dated 11th July 1940.

The last date of receipt of tenders is fixed as 26th July 1940.

Notification dated 16th July 1940.

Notice is hereby given that sealed tenders will be received at the Office of the Sanitary Engineer, Bureau of Sanitary Engineering, Bangalore, up to 1 P.M. on 5th August 1940, for the work of providing Sanitary fittings with drainage and sewage disposal arrangements at the Students' Ashram Buildings in Mysore Road, Bangalore City. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of September 1940.

2. The plans, detailed estimate and conditions may be seen at the Sanitary Engineer's Office between the hours of 11 A.M. and 5 P.M. on all office days.

3. Tenders should be submitted on printed forms which may be obtained from the Sanitary Engineer on a payment of annas four per form. No tender in non-printed form will be accepted. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 154 in cash (no cheques will be accepted) as earnest money, and be superscribed "Tender for the work of providing Sanitary fittings with drainage and sewage disposal arrangements at the Students' Ashram Buildings in Mysore Road, Bangalore City", in default of which the tenders will be rejected.

5. The final acceptance of the tender will rest with the Sanitary Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond, in default of which his tender will be considered cancelled and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the Notice Board in the Sanitary Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Charges on account of scaffolding materials, implements for setting out, barricading, clearing site, supply of water, etc., that may be found necessary during execution will not be paid for separately but should be borne by the contractor.

10. Rates for non-tendered and non-estimated items shall be as per schedule rates of the Department or those fixed by the Sanitary Engineer after working out data with not more than 10 per cent for contractor's profit.

11. In all matters not specifically provided for and in all matters of disputes about rates, quantities, measurements, quality of works, etc., and in all disputes of any kind, the decision of the Director of Public Health will be final and legally binding.

Abstract estimate of quantities of work for providing Sanitary fittings with drainage and sewage disposal arrangements at the Students' Ashram, Mysore Road, Bangalore.

No.	Items of work	Unit	Quantity
	I. *Sanitary fittings, soil, waste and water connections.*		
1	Providing and fixing white porcelain English closet pan 'S' trap with 3 gallons C. I. flushing tank, with flush pipe, double thickness, polished wooden seat set complete	Each	2
2	Do do Indian water closet pan 'P' trap do and a pair of marble foot rests complete	,,	3
3	Do do lavatory basin 25″×18″ with N. P. waste fittings, N. P. single cold cock at centre and a pair of C. I. brackets complete set	,,	2
4	Do do cast iron bath tub, white enamelled inside, with four detachable ornamental legs, ¾″ N. P. hot and cold cocks, 1½″ N. P. waste and overflow with chain size 6′ overall	,,	1
5	Do do Jey's porcelain toilet paper holder with paper	,,	2
6	Do do cut glass bevelled edged mirror 24″× 18″ enclosed in white wood rectangular frame with N. P. clips fixed to the frame	,,	2
7	Do do 1″ diar. N. P. towel rail 24″ long with N. P. brackets and screws	,,	2
8	Do do Porcelain sink 36″×18″×7″ overall with 2″ brass waste union plug and chain, C. I. cantilever brackets to insert 9″ in wall	,,	1

No.	Items of work	Unit	Quantity
9	Providing 4″ C. I. soil pipe with specials, laying and jointing including scaffolding, floor grooving and redoing, painting visible parts, to suit building colour, including cornice and basement grooving and redoing with cement, etc., complete	R.ft.	80
10	Do 3″ C. I. waste do do do ..	,,	50
11	Do 1½″ G. I. pipes with fittings for watse do ..	,,	12
12	Providing and fixing 6″×3″ C. I. nahni trap, constructing cistern in cement, plastering with cement including providing and fixing 6″ diar. N. P. grating ⅛″ thick	No.	8
13	Providing cement concrete below H. C. pan and trap	,,	3
14	Constructing ordinary cistern in cement mortar, cement plastering, and providing and fixing 6″ diar. N. P. grating ⅛″ thick ..	,,	2
15	Flooring closet compartment with 2″ cement concrete over 3″ chunam concrete, cement plastering mixed with red ochre	,,	3
16	Constructing ground sink in cement concrete, cement plastering mixed with red ochre	,,	8
17	Providing and fixing ¾″ G. I. pipes with fittings for overflow including grooving in wall and redoing	,,	5
18	Providing and fixing 2″ lead pipe with wiped solder joints for bath tubs and sink	,,	2
19	Do 1¼″ lead pipe do for lavatories and flush pipes	,,	7
20	Do ¾″ and ½″ do for water and overflow connections	,,	14
21	Stone wall bore and redoing with cement	,,	13
22	Providing and fixing ¾″ N. P. stop cock	,,	5
23	Providing and fixing ½″ N. P. stop cock	,,	7
24	Providing and fixing ½″ N. P. Bib cock	,,	11
25	Do do 6″ diar. ¾″ N. P. shower	,,	3
26	Painting white enamel to the bath tub outside, three coats ..	,,	1
27	Do do to sanitary fittings	,,	8
28	Providing and fixing 4″ zinc cowls	,,	3
29	Providing water connections with 1″, ¾″ and ½″ G. I. pipes with specials from outside in the building up to fittings, including grooving in wall and floor and redoing wall bore and redoing etc., complete	,,	24
	II. *Drainage arrangements.*		
1	Providing 6″ S. W. pipes, laying and jointing with cement mortar including earthwork excavation in soft, hard, stoney and gravelly soil, cutting or chiselling soft and hard rock, removing boulders, refilling, tamping, watering, barricading, lighting, removing surplus earth and clearing site, etc., complete	R.ft.	420
2	Do 4″ stone ware pipes do ..	,,	70
3	Providing and fixing 6″×4″ stone ware gulley trap, constructing cistern in cement mortar, cement plastering, including providing and fixing 12″×9″ C. I. hinged lid and frame	No.	4
4	Constructing inspection chamber 18″×18″ inside on cement concrete bed (1 : 2½ : 5) 9″ thick burnt brick in cement mortar (1 : 4) 9″ thick wall, cement plastering inside (1 : 2) ½″ thick, benching and making channels and cost of providing and fixing 18″×18″ C. I. cover and frame with earthwork, etc., as detailed in item No. 1 above	,,	1
5	Constructing manhole as per design with cement mortar as per above and cost of providing and fixing 21″ diar. 2 Cwts. C. I. manhole cover and frame with earthwork, etc., as per above up to 4′ depth	,,	8
6	Constructing septic tank 6′×3′×6′ inside below invert on cement concrete bed (1 : 2½ : 5) one foot thick, brick in cement mortar (1 : 4) wall 9″ thick, cement plastering (1 : 2) inside ½″ thick cost of providing and fixing 4″ to 6″ thick B. S. slab for covering including grooving hole, providing and fixing 21″ diar. 2 Cwts. manhole cover and frame, inlet and outlet junctions, with earthwork, etc., as per above and site clearing	,,	2

No.	Items of work	Unit	Quantity
7	Making soakage pit 8′×4′×6′ including earthwork as per above, rough stone revetment alround inside (1) filling in jelly and boulders of varying sizes, cost of B. S. cover slab, refilling earth and site clearing	No.	2
8	Laying soakage drain including earthwork as per above with 6″ loose jointed S. W., socket less pipes and filling in jelly of varying sizes alround and below the pipe (1 ft.) refilling earth, carting surplus earth and site clearing	R.ft.	60

K. S. HUTCHA RAO,
Sanitary Engineer.

BANGALORE DIVISION.

Abstract Notification dated the 9th July 1940.

The attention of the public is hereby invited to the detailed notification inviting sealed tenders for extending the Middle School building at Kankanhalli, published on pages 1672-1674, of Part VI of the *Mysore Gazette*, dated 18th July 1940.

The last date for the receipt of the tender is 2 P.M. on 26th July 1940. Duplicate challan for having credited into the treasury the deposit amount of Rs. 250 under, "17 (*a*) P. W. Deposits" should accompany each tender.

M. K. RAJAM IYENGAR,
Executive Engineer.

KOLAR DIVISION.

Abstract Notification dated 5th July 1940.

The attention of the public is invited to the detailed notification dated 2nd July 1940, published on pages 1630-1633, Part VI of the *Mysore Gazette*, dated 11th July 1940, regarding tenders for restoring Kambalahalli Byrasettikere, Reg. No. 73 of Chickballapur Taluk.

The last date for lodging of tender is upto 2 P.M. on 27th July 1940.

Abstract Notification dated 5th July 1940.

The attention of the public is invited to the detailed notification dated 4th July 1940, published on pages 1633-1635, Part VI of the *Mysore Gazette*, dated 11th July 1940, regarding tenders for restoring Kavatanahalli Nagarkunte, R. No. 110 of Mulbagal Taluk, Sl. No. 76, (unrestored Minor Tank).

The last date for lodging of tender is upto 2 P.M. on 26th July 1940.

Abstract Notification dated 5th July 1940

The attention of the public is invited to the detailed notification dated 4th July 1940, published on pages 1636-1638, Part VI of the *Mysore Gazette*, dated 11th July 1940, regarding tenders for restoring Kavarnahalli Tank, Reg. No. 193, (unrestored Minor) in Chickballapur Taluk.

The last date for lodging of tender is upto 2 P.M. on 29th July 1940.

Abstract Notification dated 14th July 1940.

The attention of the public is invited to the detailed notification dated 13th July 1940, published on pages 1675-1677, Part VI of the *Mysore Gazette*, dated 18th July 1940, regarding tenders for restoring Pullukuntalahalli Chikkere tank, R. No. 159 (unrestored minor tank) in Mulbagal Taluk.

The last date for lodging of tender is up to 2 P.M. on 3rd August 1940.

C. R. IYENGAR,
Executive Engineer.